

## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addiese: COMMISSIONER FOR PATENTS P O Box 1430 Alexandra, Virginia 22313-1450 www.wepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/548,084	09/06/2005	Kenji Tsubota	050496	7646
23850 7590 11/18/2008 KRATZ, QUINTOS & HANSON, LLP			EXAMINER	
1420 K Street, N.W. Suite 400 WASHINGTON, DC 20005			ROST, ANDREW J	
			ART UNIT	PAPER NUMBER
	. ,		3753	
			MAIL DATE	DELIVERY MODE
			11/18/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

# Office Action Summary

Application No.	Applicant(s)	
10/548,084	TSUBOTA ET AL	
Examiner	Art Unit	
Andrew J. Rost	3753	

- The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a righty be timely filed after SN (6) MONTH's from the mailing date of the communication.
<ul> <li>If NO period for roply is specified above, the maximum statutory period will apply and will expire SIX (8) MCNTHS from the making date of this communication.</li> <li>Failure to reply within the set or teached period for reply will, by statute, cause the application to become ABADONED (28 U.S.C.§ 133).</li> <li>Any reply received by the Office later than three months after the making date of this communication, even if timely filled, may reduce any earned pattern rem distinstruct. See 37 CFR1.70(tb).</li> </ul>
Status
1) Responsive to communication(s) filed on 12 August 2008.
2a)⊠ This action is <b>FINAL</b> . 2b)□ This action is non-final.
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.
Disposition of Claims
4)⊠ Claim(s) <u>1-8</u> is/are pending in the application.
4a) Of the above claim(s) is/are withdrawn from consideration.
5)⊠ Claim(s) <u>2-5,7 and 8</u> is/are allowed.
6)⊠ Claim(s) <u>1 and 6</u> is/are rejected.
7) Claim(s) is/are objected to.
8) Claim(s) are subject to restriction and/or election requirement.
Application Papers
9)☐ The specification is objected to by the Examiner.
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d) 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.
Priority under 35 U.S.C. § 119
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:
<ol> <li>Certified copies of the priority documents have been received.</li> </ol>
<ol><li>Certified copies of the priority documents have been received in Application No</li></ol>
<ol> <li>Copies of the certified copies of the priority documents have been received in this National Stage</li> </ol>
application from the International Bureau (PCT Rule 17.2(a)).
* See the attached detailed Office action for a list of the certified copies not received.
Attachment(s)
□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

1) Notice of References Cited (PTO-892)
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)
3) Information-Disclosure Statement(s) (PTO/SE/CS) Paper No(s)/Mail Date \_\_\_\_\_.

Interview Summary (PTO-413)
 Paper No(s)/Mail Date. \_\_\_\_\_.

5) Notice of Informal Patent Application.
6) Other:

Page 2

Application/Control Number: 10/548,084

Art Unit: 3753

#### DETAILED ACTION

This action is in response to the amendment filed 8/12/2008. Claims 1, 2 and 7
are currently amended. No claims have been canceled. No claims have been newly
added. Presently, claims 1-8 are pending.

#### Specification

The terms "working member in automatically opening and closing" and "moved by automatically opening and closing means" are taken to mean a working member that is moved by any means other than by manual operation.

#### Claim Rejections - 35 USC § 102

 The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filled in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filled in the United States before the invention by the applicant for patent, except that an international application filled under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filled in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- Claims 1 and 6 are rejected under 35 U.S.C. 102(e) as being anticipated by Fukano (US 2003/0201015 A1).

Regarding claim 1, Fukano discloses a fluid control device having a valve case (12) with a fluid channel (28), a casing (16), a valve element (78), a valve element holder (80) which is moved in order to operate the valve element, an elastic member

Application/Control Number: 10/548,084

Art Unit: 3753

(60, 96) biasing the valve element toward a closed position, a working member (76, 72) for automatically opening and closing the valve member and a working member (18) for manual opening and closing which is able to press the valve element into a closed position wherein the working member (18) for manual opening and closing is movably fitted (fitted around the outside) to the working member (76, 72, and portion that is affixed to support ball 118) in automatic opening and closing.

In regards to claim 6, Fukano discloses the working member for manual operation is a stem-shaped member (stem 126) that is moved by manual operation from a position in which the working member presses the valve element into a closed position (fig. 5) and a position in which the working member is spaced from the automatically operated working member (76, 72) in order to allow for operation of the valve element (fig. 1).

#### Allowable Subject Matter

Claims 2-5, 7 and 8 are allowed.

### Response to Arguments

6. Applicant's arguments filed 8/12/2008 have been fully considered but they are not persuasive. Fukano (US 2003/0201015 A1) discloses the working member (18) for manual opening and closing to be movably fitted (fitted around the outside) to the working member (76, 72, and portion that is affixed to support ball 118) in automatic opening and closing with the working member in automatic opening and closing to have

Application/Control Number: 10/548,084

Art Unit: 3753

a tube-shaped portion (portion that is threadedly fixed to the outside of the support portion for ball 118) that is fitted within the working member in manual opening and closing.

#### Conclusion

 Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, THIS ACTION IS MADE FINAL. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Andrew J. Rost whose telephone number is 571-272-2711. The examiner can normally be reached on 7:00 - 4:30 M-Th and 7:00 - 12:00 Fridays.

Application/Control Number: 10/548,084

Art Unit: 3753

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory Huson can be reached on 571-272-4887. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/A. J. R./ Examiner, Art Unit 3753 November 13, 2008 /Stephen M. Hepperle/ Primary Examiner, Art Unit 3753